



ITALIANPRO

ELEVATOR GEARED-GEARLESS
MACHINES & COMPONENTS

PROI125W Series





ITALIANPRO


ELEVATOR GEARED-GEARLESS MACHINES & COMPONENTS

Features

Reduction Ratio): 1/10
Roller Diameter):180mm
Rope):2-8
Weight):115kg
320#
Gear Lubrication: 3.5L

Static Load:3500kg
Lifting Height:4.5m/7.5m
Rated Load:P+Q=700kg
Brake Vol:DC110V
Brake Current:0.96A
Roping:1:1
Working System:S5-25%

Positive Drive Machine Installation Method Diagram






ITALIANPRO

ELEVATOR GEARED-GEARLESS MACHINES & COMPONENTS

Installation dimensional drawing



PRO1125W Series Positive Drive Machine Specification

Type	Load (kg)	Speed (m/s)	Power (kW)	Current(A) 380V/220V	Speed (RPM)	Frequency (Hz)	Output Torque (N.m)	Poles
PRO1125W	500	0.15	0.9	2.4/4.0	159	21.2	540	16
	600	0.15	1.1	2.9/5.0	159	21.2	660	16
	700	0.15	1.2	3.4/5.9	159	21.2	720	16
	500	0.3	1.8	3.8/6.5	318	42.4	540	16
	600	0.3	2.2	4.5/7.8	318	42.4	660	16
	700	0.3	2.5	5.3/9.2	318	42.4	720	16