



ITALIANPRO

ELEVATOR GEARED-GEARLESS
MACHINES & COMPONENTS

PROI135 Series





ITALIANPRO

ELEVATOR GEARED-GEARLESS MACHINES & COMPONENTS

Features

Static Load:5000kg

Lifting Height:12m

Rated Load:P+Q=1000Kg

Brake Vol:DC110V

Brake Current:1.1A

Roping:1:1

Working System:S5-25%

Reduction Ratio: 1/15


Roller Diameter:Φ320mm

Rope:2-Φ8


Weight):200kg

320#


Gear Lubrication: 5L




PROI135-G09 right machine



PROI135-G10 left machine



PROI135-G11 right machine



PROI135-G12 left machine

PROI135 Series Positive Drive Machine Specification

Type	Load (kg)	Speed (m/s)	Power (kW)	Current(A) 380V/220V	Speed (rpm)	Frequency (Hz)	Torque (N.m)	Poles
PROI135	600	0.3	1.8	5.9/10.1	270	36	955	16
	800	0.3	2.4	7.8/13.5	270	36	1275	16
	1000	0.3	3	9/15.6	270	36	1590	16
	600	0.4	2.4	5.9/10.1	360	48	955	16
	800	0.4	3.2	7.8/13.5	360	48	1275	16
	1000	0.4	4	9/15.6	360	48	1590	16




ITALIANPRO

ELEVATOR GEARED-GEARLESS MACHINES & COMPONENTS

Installation dimensional drawing

PROI135-G09/10 mounting dimension



PROI135-G11/12 mounting dimension

